

**Shyam-Vidya Ayurved P.G. Entrance Coaching Center, Bhopal (M.P.)  
BHU Test Paper – 1995**

**By - Dr. N. S. Lodhi (M.D.) Mob. No. - 09300961664, 09993961427**

(1) According to sushruta how many varieties of mutrakrichchra are described ?

- (a) 8 (b) 6  
(c) 13 (d) 20

(2) Mutraghata are ..... types according to Madhavanidana.

- (a) 8 (b) 13  
(c) 12 (d) 20

(3) Criglar- Naggar syndrome is ..... disorder.

- (a) Haemolytic (b) Autosomal  
(c) Both (d) Hepatitis

(4) Head and Chest circumference will be equal during- age.

- (a) 12 months (b) 14 months  
(c) 18 months (d) 20 months

(5) The length of the child will be double of that at birth at the age of -

- (a) 1 year (b) 2 years  
(c) 3 years (d) 4 years

(6) Ketatomalacia occurs due to the deficiency of -

- (a) Calcium (b) Vit- D  
(c) Calcium phosphate (d) Vit- A

(7) Niacin is -

- (a) Pyridoxine (b) Pantothenic acid  
(c) Nicotinic acid (d) Riboflavin

(8) Clubbing of fingers occur in -

- (a) Renal abscess (b) Chronic lung abscess  
(c) Liver abscess (d) None

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(9) Lunate bone is seen in-

- (a) Upper limb (b) Lower limb  
(c) Base of the skull (d) Pelvic girdle

(10) Which one of the following is a malignant tumor ?

- (a) Thyroid carcinoma (b) Nephroblastoma  
(c) Parathyroid cyst (d) None

(11) Paradi gunas are seven according-

- (a) Charaka (b) Chakrapani  
(c) Arunadatta (d) Hemadri

(12) Pravritti Karana is -

- (a) Sukha (b) Duhkha  
(c) Moksha (d) Krodha

(13) Nivrittimarga is -

- (a) Apavarga (b) Dukha  
(c) Sukha (d) Prasama

(14) Complication of whooping cough is -

- (a) Tuberculosis (b) Lobar pneumonia  
(c) Pneumothorax (d) Orchitis

(15) Lokagat Soma have similarity with property in the body -

- (a) Utsaha (b) Kanti  
(c) Moha (d) Prasada

(16) Hetu is of ..... varieties.

- (a) One (b) Two  
(c) Three (d) Four

(17) Rajoguna is related to ..... dosha

- (a) Vata (b) Pitta  
(c) Kapha (d) Rakta

(18) Rajasa prakriti is of ..... types according to Kasyapa.

- (a) 8 (b) 7  
(c) 3 (d) 5

(19) Adhyavasaya is -

- (a) Atma lakshana (b) Parinama  
(c) Kala (d) None

(20) Karya phala is -

- (a) Sukha Aprapti (b) Sukha prapti  
(c) Vriddhi (d) Viyoga

(21) Purusha means -

- (a) Sharira (b) Jeevatma  
(c) Anumana (d) None

(22) How many koshtangas are mentioned by Charaka ?

- (a) 7 (b) 15  
(c) 20 (d) 29

(23) Number of snayus mentioned by Charaka are -

- (a) 500 (b) 700  
(c) 900 (d) 600

(24) Ahara parinamakara bhava in the following is -

- (a) Kala (b) Guna  
(c) Prasada (d) Vipaka

(25) According to Charak, kushta and dadru occurs in -

- (a) 1<sup>st</sup> layer (b) 3<sup>rd</sup> layer  
(c) 4<sup>th</sup> layer (d) 6<sup>th</sup> layer

(26) Rohini is ..... layer of skin according to sushruta.

- (a) 5<sup>th</sup> (b) 6<sup>th</sup>  
(c) 4<sup>th</sup> (d) 3<sup>rd</sup>

(27) Botanical name of Gandhasara is -

- (a) *Santalum album* (b) *Pterocarpus marapium*  
(c) *Pterocarpus santalinum* (d) *Paderia foetidas*

(28) Parthiva bhavas are in number -

- (a) 15 (b) 11  
(c) 18 (d) 5

(29) Gandhari is found in -

- (a) Kerala (b) Andhra Pradesh  
(c) Pakistan (d) Afghanistan

(30) Gandha Viroja is the Niryasa of -

- (a) Sarala (b) Rala  
(c) Salmali (d) Devadaru

(31) In Rasa Ratna samucchaya, rasotpatti chapter is known for -

- (a) For loha siddhi adhyaya (b) For niroga oushadhi  
(c) Maha rasa (d) Saddharana rasa

(32) The useful part of lodhra is -

- (a) Root (b) Bark (stem)  
(c) Flower (d) Latex

(33) Tamaka swasa originates from -

- (a) Amasaya (b) Pakwasaya  
(c) Pitta sthana (d) Sleshmasthan

(34) Tamaka Swasa is -

- (a) Sadhya (b) Asadhya  
(c) Yapya (d) Krichchra sadhya

(35) Which Mandala is not present in the eye ?

- (a) Krishna (b) Rakta  
(c) Drishti (d) Sweta

(36) Swarna vanga is collected at the -

- (a) Upper part (b) Lower part  
(c) In between (d)

(37) Galaganda, Gondamala, Apachi are related to -

- (a) Mamsa (b) Meda  
(c) Both a and b (d) Rakta

(38) Haematuria occurs in -

- (a) Mutratita (b) Mutroikasada  
(c) Mutra jathara (d) Ushna vata

(39) Vida lavana is used for -

- (a) Rasa Jarana (b) Rasa dipana  
(c) Both (d) None

(40) Which varti is used after Nasya ?

- (a) Ingudivarti (b) Hinguvarti  
(c) Chandrodayavasti (d) Jatyadivarti

(41) Rock salt is -

- (a) Vida lavana (b) Saindhava Lavana  
(c) Samudra lavana (d) Narasara

(42) Highest melting point is for -

- (a) Cast iron (b) Pig- iron  
(c) Steel iron (d) both a and b

(43) The naivedya (offer) given for parada is -

- (a) Swarna (b) Roupya  
(c) Vyoma (d) Tamra

(44) Dose of a Nitric acid -

- (a) 4-10 ml (b) 2-3 ml  
(c) 10-15 cc (d) 0.5- 0.7 cc

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(45) The percentage of carbon in kanta loha is -

- (a) 0.25-0.5% (b) 0.12-0.25%  
(c) 1-2% (d) 5%

(46) Digoxin is absorbed at the rate of from the intestines -

- (a) 100% (b) 50%  
(c) 25% (d) 75%

(47) Specific gravity of mercury is -

- (a) 10.5 (b) 13.6  
(c) 19.4 (d) 0.4

(48) Kalithari is the synonym of -

- (a) Laksha (b) Haridra  
(c) Langali (d) Haridru

(49) Which one of the following is not used in marma sthan -

- (a) Agni karma (b) Kshara  
(c) Sastra (d) Jalouka

(50) Which disease is not related to Jalouka ?

- (a) Durvanta (b) Masurika  
(c) Indramada (d) Raktamatta

(51) Pharmacognocny deals with -

- (a) Experimental studies on drugs (b) Clinical studies on drugs  
(c) Identification of drugs (d) None of the above

(52) Kaphahara chikitsa is applied for -

- (a) Sakhasrita kamala (b) Ruddhapatha Kamala  
(c) Pandu (d) Halimaka

(53) Madhyama marga roga is described in -

- (a) Charaka samhita (b) Sushruta samhita  
(c) Madhava nidana (d) None

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(54) Normal value of serum amylase is -

- (a) 40- 60 U/L (b) 60-180 U/L  
(c) 50-150 U/L (d) 50-300 U/L

(55) Serum chlorides normal value is -

- (a) 40-70 mEq/L (b) 20-40 mEq/L  
(c) 100-110 mEq/L (d) None

(56) Pundarikasadrifa for hridaya is the description of -

- (a) Charaka (b) Sushrita  
(c) Vagbhatta (d) Kashyapa

(57) Insulin is given in ----- measurement.

- (a) Mg (b) gm  
(c) Units (d) ml

(58) Gandhamulya's useful part is -

- (a) Mula (b) Kanda  
(c) Phala (d) Patra

(59) The last element inside the neuron is -

- (a) Na (b) K  
(c) Ca (d) Cl

(60) Ozone content is estimated on the basis of presence of -

- (a) SO<sub>2</sub> (b) NO<sub>2</sub>  
(c) H<sub>2</sub>O (d) CO<sub>2</sub>

(61) ----- is related to Samyoga.

- (a) Rasa (b) Guna  
(c) Karma (d) Prabhava

(62) ----- is known as Swasthya vardhaka.

- (a) Two rasas (b) Three rasas  
(c) One rasa (d) Six rasas

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(63) ----- is related to Asamyoga.

- (a) Vibhaga
- (c) Aparā

- (b) Para
- (d) Prithaktwa

(64) Anu, Mahat, Hraswa, Dirgha are the varieties of -

- (a) Parimana
- (c) Abhyasa

- (b) Samyoga
- (d) Samskara

(65) Gangadhara considered kloma as -

- (a) Puppusa & unduka
- (c) Puppusa

- (b) Pakwasaya
- (d) Unduka

(66) Infra orbital nerve is the branch of nerve -

- (a) Mandibular
- (c) Frontal

- (b) Maxillary
- (d) Trochlear

(67) The largest autonomous plexus is -

- (a) Lumbar
- (c) Solar

- (b) Sacral
- (d) Celiac

(68) Musculo cutaneous nerve originates from -

- (a) Lateral cord of brachial plexus
- (c) Cervical sympathetic trunk

- (b) Med. cord of brachial plexus
- (d) None

(69) Splanchnic nerve is the branch of -

- (a) Trochlear nerve
- (c) Ophthalmic nerve

- (b) Trigeminal nerve
- (d) Sympathetic trunks

(70) Myoglobin found in -

- (a) Leg muscle
- (c) All muscle tissue

- (b) Eye muscle
- (d) None

(71) Cardio tonic drugs act in -

- (a) Increasing heart rate
- (c) Decreasing heart rate

- (b) Tonicity of heart muscle
- (d) Decreasing size of heart



(72) Right common iliac artery is the terminal branch of -

- (a) Ascending aorta (b) Abdominal aorta  
(c) Gluteal artery (d) None

(73) Sthula and krisa are because of -

- (a) Sweda (b) Meda  
(c) Rasa (d) Rakta

(74) The synonym of nidana is -

- (a) Aпти, jati, agati (b) Chihna, aakriti  
(c) Nimitta, ayatana, uttana (d) Upasaya, prayaschitta

(75) Which are the synonyms of samprapti ?

- (a) Jati, Agati (b) Nimitta, Uttana  
(c) Chihna, Akriti (d) Upasaya, Pathya

(76) How many types of hridrogas are there ?

- (a) 3 (b) 5  
(c) 7 (d) 10

(77) Hinguniryasa is the synonym of -

- (a) Nadihingu (b) Guggulu  
(c) Sallaki (d) Nimba

(78) Charaka described sneha utility in view of chikitsa for-

- (a) Sahaja- Apathyaja (b) Sthula- Krisa  
(c) Both (d) None

(79) Jeeraka Traya is described by -

- (a) Charaka (b) Vagbhata  
(c) Dhanwantari nighantu (d) Bhavaprakasha

(80) Jatipatri is -

- (a) Pushpa avarana (b) Bija avarana  
(c) Phala avarana (d) None

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

- (81) In case of a female fetus the libido in a pregnant lady will -  
(a) Increase (b) Decrease  
(c) Normal (d) All the above
- (82) Calomel is -  
(a) Hg Cl (b) Hg<sub>2</sub>Cl  
(c) Hg<sub>2</sub>Cl<sub>2</sub> (d) Hg Cl<sub>2</sub>
- (83) ..... consists of ahiphena.  
(a) Sanjivini vati (b) Chandra kala ras  
(c) Chandramrita ras (d) Karpura ras
- (84) Four types of nasarogas are quoted by -  
(a) Charaka (b) Sushruta  
(c) Vagbhata (d) Bhavamishra
- (85) Rasi Purusha is linked with -  
(a) Nityatwa (b) Ananta  
(c) Kshanika (d) Kala
- (86) In koshtagata vata Kshara is -  
(a) Indicated (b) Contra indicated  
(c) Forbidden (d) None
- (87) Charaka mentioned Brihati under -  
(a) Kashaya skandha (b) Tikta skandha  
(c) Madhura skandha (d) Katu skandha
- (88) Sakuni Graha is caused by ..... dugdha dosha.  
(a) Madhura (b) Katu- Madhura  
(c) Tikta- Madhura (d) Katu- tikta
- (89) Putraghni is -  
(a) Yoni Vyavat (b) Mrita garbha  
(c) Garbha srava (d) Sadyojata garbha

(90) ACTH may lead to -

- (a) Potassium retention
- (b) Sodium retention
- (c) Cardiac arrest
- (d) Shock

(91) Corticosteroids may cause -

- (a) Myxedoema
- (b) Obesity
- (c) Cushing's syndrome
- (d) None

(92) According to Madhava nidana, Beejaka is presented with-

- (a) One hand and head
- (b) Two hands and head
- (c) Head
- (d) One hand and one leg

(93) According to Vagbhata Updansa is related to -

- (a) Agni karma
- (b) Guhya roga
- (b) Mutra roga
- (d) Asthi roga

(94) Which variety of ashmari is not described ?

- (a) Vataja
- (b) Pittaja
- (c) Kaphaja
- (d) Tridohaja

(95) Vidarika is -

- (a) Kushta
- (b) Prameha pidika
- (c) Mukha roga
- (d) Kshudra roga

(96) Guggulu rasayana acts on the basis of -

- (a) Poshana
- (b) Effect on sukshma srotas
- (c) Prashava
- (d) Virya

(97) Bhallataka acts on -

- (a) Vata
- (b) Pitta
- (c) Kapha
- (d) Rakta

(98) Which is not the chikitsa for vataja gulam ?

- (a) Snehapana
- (b) Snehavirechana
- (c) Snehabyanga
- (d) None

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(99) Rukshana is done by -

- (a) Yava anna  
(c) Gavedhuka anna

- (d) Uddalaka anna  
(d) Godhuma

(100) Gulma adhistanas are in number -

- (a) Three  
(c) Five

- (b) Four  
(d) Six

(101) Pishti is mainly used for -

- (a) Dhatus  
(c) Uparatnas

- (b) Ratnas  
(d) Maharasas

(102) Main Ingredient in Hridayarnava ras is -

- (a) Swarna  
(c) Tamra

- (b) Rajata  
(d) Loha

(103) Panchamrita parpati is indicated in -

- (a) Raktapitta  
(c) Jwara

- (b) Kasa- swasa  
(d) Grahani

(104) Makkala sula occurs during -

- (a) 1<sup>st</sup> Stage of labor  
(c) Before labor

- (b) 2<sup>nd</sup> stage of labor  
(d) After labor

(105) Kukkunaka is a roga -

- (a) Nasaroga  
(c) Netra roga

- (b) Karna roga  
(d) Siro roga

(106) Dipping the red hot dhatu into other liquid materials is known as -

- (a) Avapa  
(c) Prakshepa

- (b) Nirvapa  
(d) Dhalana

(107) Kalyanak avaleha is mentioned by Kashyapa in -

- (a) Jwara  
(c) Kasa

- (b) Swasa  
(d) Atisara

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

- (108) Buddhi-Indriya-Manah are ----- by Abhinyasaka jwara.  
(a) Affected (b) Not affected  
(c) Improved (d) None
- (109) Manas will do ----- karma.  
(a) Bhavatmaka (b) Chestatmaka  
(c) Sanjnatmaka (d) All
- (110) Phenobarbitone is ----- barbiturate.  
(a) Short acting (b) Long acting  
(c) Intermediate acting (d) None
- (111) Crop like rashes on the body appear in -  
(a) Small-pox (b) Chicken-pox  
(c) Measles (d) Syphilis
- (112) Sandhana process is known as -  
(a) Fermentation (b) Infusion  
(c) Distillation (d) All
- (113) Rasa dhatu is mainly predominant of -  
(a) Prithvi (b) jala  
(c) Agni (d) Vayu
- (114) In Narayana taila, kalka and drava ratio will be -  
(a) Equal (b) Two times more  
(c) Three times more (d) Four times more
- (115) Vishyandana guna is present in -  
(a) Vayu (b) Apya  
(c) Prithvi (d) Agni
- (116) While preparing taila, the quality of taila compared to swarasa is -  
(a) 1/2 part (b) 1/4 part  
(c) 1/8 part (d) Equal part

(117) The metal used along with copper while preparing brass is -

- (a) Zinc (b) Tin  
(c) Silver (d) Iron

(118) Swarna with 19 kalas is -

- (a) Prakriti (b) Rasa vit  
(c) Khanija (d) None

(119) Sreshta Rajata is -

- (a) Sahaja (b) Khanija  
(c) Kritrima (d) None

(120) Ore of silver is -

- (a) Galina (b) Nilanjana  
(c) Kalanjana (d) Argentite

(121) Melting point of sulphur is -

- (a) 92° C (b) 119° C  
(c) 325° C (d) 417° C

(122) Sampaka is the synonym of -

- (a) Bala (b) Syonaka  
(c) Kagapushpa (d) Aragwadha

(123) Taxus buccata is -

- (a) Shyunaka (b) Tagara  
(c) Taalisa (d) Raal

(124) Indravriksha is the synonym of -

- (a) Kutaja (b) Vishnu kranta  
(c) Haritaki (d) Sami

(125) The following is a Himalayan species -

- (a) Chandana (b) Kadamba  
(c) Kashtadaru (d) Devadaru

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

(126) Smritinasa is caused by -

- (a) G.A.B.A.
- (b) Acetylcholine
- (c) Ephedrine
- (d) Atropine

(127) Otic ganglion is present below -

- (a) Foramen magnum
- (b) Foramen ovale
- (c) Foramen of Monro
- (d) Sylvian aqueduct

(128) Bleeding specifically occurring from ears will indicate -

- (a) Cerebral haemorrhage
- (b) Mastoid fracture
- (c) CSOM
- (d) Hypertension

(129) The mechanism of action of reserpine on hypertension -

- (a) Catecholamine storage
- (b) Ganglion blockers
- (c) Catecholamine storage inhibitors
- (d) None

(130) Which bone forms the base of skull

- (a) Sphenoid
- (b) Ethmoid
- (c) Temporal
- (d) Nasal

(131) The important side effect of streptomycin is -

- (a) Nephrotoxicity
- (b) Hepatotoxicity
- (c) Neurotoxicity
- (d) Ototoxicity

(132) Aplastic anaemia is caused by -

- (a) Tetracycline
- (b) Chlorphenicol
- (c) Aspirin
- (d) None

(133) The sadhya type of rakta pitta is -

- (a) Urdhwagata
- (b) Adhogata
- (c) Tiriyakgata
- (d) Antiki

(134) The pediatric dose of Aspirin is -

- (a) 10-20 mg/kg
- (b) 150 mg/kg
- (c) 100 mg/kg
- (d) 50 mg/kg

(135) Tila pishta purisha is seen in kamala

- (a) Halimaka
- (b) Kumbha kamala
- (c) Sakhasrita
- (d) Koshtasrita

(136) HDL cholesterol is useful in -

- (a) CAD
- (b) Removing atherosclerosis
- (c) Hypertension
- (d) Renal disease

(137) Hypertension is seen in -

- (a) Malnutrition
- (b) Chronic nephritis
- (c) Renal failure
- (d) Hepatitis

(138) Chorea occurs in -

- (a) RA
- (b) Parkinsonism
- (c) Cerebral tumor
- (d) All the above

(139) Maximum increase in leucocytes is seen with -

- (a) Lymphoid leukaemia
- (b) Myeloid leukaemia
- (c) Leucocytosis
- (d) Hodgkin's disease

(140) If face is the presenting part it is known as -

- (a) Left mento-anterior (LMA)
- (b) Left mento-posterior (LMP)
- (c) Right mento-posterior (RMP)
- (d) Right mento-anterior(RMA)

(141) Apatantraka is correlated to -

- (a) Tetanus
- (b) Paralysis
- (c) Epilepsy
- (d) Hysteria

(142) Short memory of examination is done by -

- (a) EMG feed back machine
- (b) EEG feed- back machine
- (c) Tread-mill test
- (d) ECG machine

(143) Haultain's operation is for -

- (a) Inverted uterus
- (b) Incompitency of cervix
- (c) Both
- (d) None

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427



(144) Duhkha is caused due to -

- (a) Kshetrajna
- (b) Atma
- (c) Sakshi
- (d) Upadha

(145) Pitta sanchaya occurs in season -

- (a) Sarad
- (b) Varsha
- (c) Vasanta
- (d) Grishma

(146) Vasopressin is released by -

- (a) Anterior pituitary
- (b) Posterior pituitary
- (c) Hypothalamus nucleus
- (d) None

(147) Toxicology is the science of -

- (a) Poisons
- (b) Drugs
- (c) Dose
- (d) Disease

(148) Virya of 'Amalaki' according to chakrapani is -

- (a) Mridu
- (b) Tikshana
- (c) Madhya
- (d) Ruksha

(149) Maloney-coiss syndrome is -

- (a) Cirrhosis of liver
- (b) Tears in oesophageal mucosa
- (c) Carcinoma of stomach
- (d) None

(150) Contraindication in peptic ulcer is -

- (a) Milk
- (b) Sugar
- (c) Alcohol
- (d) All the above

(151) Katuki is -

- (a) Kaphahara
- (b) Pitta virechaka
- (c) Raktapitta hara
- (d) None

(152) Hepato jugular vein reflex is seen in -

- (a) CCF
- (b) RHD
- (c) RA
- (d) HBS Ag

**(A synonym of Success for Ayurveda P.G. Entrance)**

By- Dr. N. S. Lodhi (M.D.) Mob. - 09300961664, 09993961427

- (153) Garbha Nadi is to be cut above ----- Angulis as per Vagbhata-
- (a) 2 (b) 4  
(c) 6 (d) 8
- (154) Putapaka swarasa is useful for-
- (a) Tulasi (b) Matsyakshi  
(c) Vasa (d) Ikshu
- (155) Somatostatin is found in-
- (a) Pituitary gland (b) Pancreas  
(c) Liver (d) Kidney
- (156) Beeja dharma prakriti is meant for-
- (a) Sukshma sarira (b) Raktadhatu sarira  
(c) Linga sarira (d) None
- (157) Abhicharaja jwara may be caused by-
- (a) Mithya ahara- vihara (b) Vata- pitta  
(c) Beating (d) None
- (158) Kwashiorkor syndrome is due to deficiency-
- (a) Protein (b) Vitamin  
(c) Carbohydrate (d) Minerals
- (159) Amygdaloid body is subdivided into-
- (a) One part (b) Two part  
(c) Three part (d) Four part
- (160) The fifth among the parada samskaras-
- (a) Nirghatana (b) Dravana  
(c) Uttapana (d) Patana
- (161) Granthi bhuta Artava is due to-
- (a) Vata (b) Pitta  
(c) Vata- kapha (d) Pitta-kapha

(162) Commonest involvement in breast cancer is-

- (a) Fibroadenoma (b) Paget's disease  
(c) Infiltrated duodenal carcinoma (d) Adenosarcoma

(163) How many causes (Karanas) are there for smriti Jnana-

- (a) 7 (b) 8  
(c) 12 (d) 13

(164) Kupffer's cells are found in-

- (a) kidney (b) Liver  
(c) Lungs (d) Brain

(165) Normal Bleeding time is -----

- (a) 3-5 sec (b) 2-5 minute  
(c) 5-7 minute (d) 11-13 sec

(166) After birth the umbilical vein of foetus will transformed into

- (a) Ligamentum venosum (b) Ligamentum arteriosum  
(c) Ligamentum Teres (d) Falciform ligament

(167) A child between 1-3 yrs is called -

- (a) Infant (b) Toddler  
(c) Pre school age (d) None of these

(168) Meniere's syndrome is a disease of -

- (a) Eustachian tube (b) Labyrinth  
(c) Utricals (d) Tympanic membrane

(169) The quantity of sneha required for the paste used in paittika vranasopa must be

- (a) 1/4<sup>th</sup> part (b) 1/8<sup>th</sup> part  
(c) 1/6<sup>th</sup> part (d) 1/2<sup>th</sup> part

(170) The following type of nadivrana secrete more in the night time

- (a) Pittaja (b) Kaphaja  
(c) Vataja (d) Both b & c